





MULTI PURPOSE **SHEARS**





























- Handles adjustable to fit any hand comfortably
- Handles made of PP and TPR overmolded
- Blades made of 4mm SUS 420J2 stainless steel, HRC 50~54
- Serrated blade for gripping materials
- Bolt made of JIS SCM 435 alloy steel security bolt (class 10.9)

FOR SHEARING

Wood sticks, Dowel rods, Wire, Rope, Cord, Cardboard, many other materials. Wire notch cuts up to Ø2.5mm soft metal wire



DUAL CHOICE





985 Full length: 205mm (8") Cutting length: 50mm (2")



Wire cutting notch capability is up to Ø2.5mm soft metal wire



989 Full length: 200mm (8") Cutting length: 50mm (2")



Offset handles allow easy cutting on flat surfaces.



Wire cutting notch capability is up to Ø2.5mm soft metal wire





MULTI PURPOSE SHEARS











SPECIFICATIONS

- Lock nut made of cold forged steel with loosen resistant
- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Handles made of PP and TPR overmolded

FOR SHEARING

Wood sticks, Dowel rods, Wire, Rope, Cord, Cardboard, many other materials



OPTIONAL FUNCTION:

- * Wire cutting notch is optional to #925 220 and #929 220
- * Capability is up to Ø2.5mm soft metal wire MOQ: 3,000pcs



922 MINI

Full length: 145mm (5 3/4") Cutting length: 32mm (1 1/4")

• Bolt made of brass with nickel plated



925 220

Full length: 190mm (7 1/2") Cutting length: 42mm (1 5/8")



929 220

Full length: 185mm (7 1/4") Cutting length: 42mm (1 5/8")



MULTI PURPOSE SHEARS







SPECIFICATIONS

- Lock nut made of cold forged steel with loosen resistant
- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Handles made of polypropylene

FOR SHEARING

Wood sticks, Dowel rods, Wire, Rope, Cord, Cardboard, many other materials



OPTIONAL FUNCTION:

- * Wire cutting notch is optional to #925 and #929
- * Capability is up to Ø2.5mm soft metal wire MOQ: 3,000pcs







921 MINI

Full length: 145mm (5 3/4") Cutting length: 32mm (1 1/4")

• Bolt made of brass with nickel plated



925

Full length: 190mm (7 1/2") Cutting length: 42mm (1 5/8")



929

Full length: 185mm (7 1/4") Cutting length: 42mm (1 5/8")





301 THREAD CLIPPER

SPECIFICATIONS

Full length: 120mm (4 3/4")
Cutting length: 36mm (1 3/8")

- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Handles made of POM with 30% fiberglass
- Handles with soft stopper for cutting comfortablely and quietly

FOR SHEARING

Embroidery floss, Needlepoint, Thread, Rubber, Paper, Cross stitch, Quilting, Fabric, String, Film, many other materials



311

STRAIGHT MINI SCISSORS

SPECIFICATIONS

Full length : 100mm (4")
Cutting length : 25mm (1")

- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Rivet made of SUS 302 stainless steel cold forged
- Handles made of high tech ABS

FOR SHEARING

Embroidery floss, Needlepoint, Thread, Rubber, Crafts, Paper, Cross stitch, Quilting, Fabric, String, Cloth, Film, many require precise



346 SMALL BOW



HEAVY DUTY SHEARS

Full length: 243mm (9 3/4") Cutting length: 110mm (4 3/8") SMALL BOW

348 SMALL BOW

UTILITY SHEARS

Full length: 288mm (11 3/8") Cutting length: 152mm (6")



SPECIFICATIONS

- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Serrated blade for gripping materials
- Handles made of thermo plastic elastomer
- Notched blade for cutting round materials



FOR SHEARING

Thick cloth, Upholstery, Leather, Rubber, Fabric, Rope, Hose, Cardboard, many other materials

347 BIG BOW



HEAVY DUTY SHEARS

Cutting length: 110mm (4 3/8")





UTILITY SHEARS

Full length: 288mm (11 3/8") Cutting length: 152mm (6")





022 LIGHT DUTY **UTILITY SHEARS**

SPECIFICATIONS

Full length: 160mm (6 1/4") Cutting length: 42mm (1 5/8")

- Blades made of SUS 420J2 stainless steel with heat treament, HRC 50~54
- Handles made of thermo plastic elastomer
- Extended tang for durability

FOR SHEARING

Flowers, Herbs, Small Twigs, Bonsai, Vegetables, House Plants, Plastic Sheets, Hoses, many other materials

PROTECTIVE SHEATH





FOR SHEARING

Flowers, Herbs, Small twigs, Bonsai, Vegetables, House plants, Plastic sheets, Hoses, many other materials



PVC





Plastic mesh



024 LEFT - HANDED **UTILITY SHEARS**

Full length: 180mm (7") Cutting length: 57mm (2 1/4")

Full length: 180mm (7") Cutting length: 57mm (2 1/4")



PROTECTIVE SHEATH



SPECIFICATIONS

- Blades made of SUS 420J2 stainless steel with heat treament, HRC 50~54
- Rivet made of SUS 302 stainless steel cold forged
- One blade partially serrated for extra cutting function
- Handles made of thermo plastic elastomer
- Sheath optional



322 LIGHT DUTY UTILITY SHEARS

SPECIFICATIONS

Full length: 160mm (6 1/4")
Cutting length: 42mm (1 5/8")

- Blades made of SUS 420J2 stainless steel with heat treament, HRC 50~54
- Extended tang for durability
- Handles made of thermo plastic elastomer

FOR SHEARING

Plastic canvas, Handlines, Tape, Fabric, Upholstery, Cloth, String, many other materials

325 LIGHT DUTY UTILITY SHEARS

SPECIFICATIONS

Full length: 205mm (8")
Cutting length: 80mm (3 1/8")

- Blades made of SUS 420J2 stainless steel with heat treament, HRC 50~54
- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Handles made of thermo plastic elastomer

FOR SHEARING

Plastic canvas, Film, Tape, Paper, Cloth, String, many other materials

SPECIFICATIONS

- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Handles made of thermo plastic elastomer

FOR SHEARING

Leather, Thick cloth, Upholstery, Cardboard, Rubber, Fabric, Rope, many other materials

335

HEAVY DUTY UTILITY SHEARS

Full length : 205mm (8") Cutting length : 65mm (2 1/2")

337

HEAVY DUTY UTILITY SHEARS

Full length: 230mm (9")
Cutting length: 90mm (3 1/2")

339

UTILITY WORK SHEARS

Full length: 254mm (10")
Cutting length: 121mm (4 3/4")







NUSHARP TM
A cutting edge supplier









GARDEN SHEARS

NUSHARP_{TM} A cutting edge supplier

SPECIFICATIONS

- Blades made of high carbon alloy steel with double heat treatment HRC 48~50, cutting edge HRC 59~63, hard chrome plated
- Bolt made of JIS SCM 435 alloy steel (class10.9)
- Nut made of SUS 304 stainless steel
- Handles made of Nylon with 30% fiberglass









GARDEN TRIMMING SHEARS

Full length: 205mm (8") Cutting length: 50mm (2")

FOR SHEARING

Cardboard, Good for trimming, Fruit, Flower, many other materials















GARDEN MULTI-PURPOSE SHEARS

Full length: 215mm (8 1/2") Cutting length: 60mm (2 1/2")

FOR SHEARING

Live branches up to Ø12mm (1/2"), Plastic pots, Plastic sheet, Cardboard, many other materials









GARDEN BYPASS SHEARS

SPECIFICATIONS

Full length: 205mm (8") Cutting length: Ø22mm (7/8")

- Cutting blade made of high carbon alloy steel with double heat treatment HRC 48~50, cutting edge HRC 59~63, hard chrome plated
- Bolt made of JIS SCM 435 alloy steel (class10.9)
- Catch blade made of middle carbon steel with heat treatment HRC 50~52, hard chrome plated
- Nut made of SUS 304 stainless steel
- Handles made of Nylon with 30% fiberglass

FOR SHEARING

Live branches up to Ø22mm (7/8"), Plastic hose, many other materials













SPECIFICATIONS

Full length: 190mm (7 1/2") Cutting length: 39mm (1 1/2")

- Blades made of SUS 420J2 stainless steel with heat treatment, HRC 50~54
- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- · Serrated blade for gripping materials
- Wire notch cuts up to Ø2.5mm soft metal wire
- Handles made of thermo plastic elastomer

FOR SHEARING

Live branch, Cardboard, Flower, Fruit, many other materials



20



SPECIFICATIONS

- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Rope made of Polymer
- Handles made of PP

FOR SHEARING

21

Flower, Herbs, Small twigs, Vegetables, House plants, Hoses









BYPASS PRUNER

Full length: 182mm (7 1/8") Cutting length: Ø17mm (5/8")

- Cutting blade made of high carbon alloy steel with double heat treatment HRC 48~50, cutting edge HRC 59~63, black oxidized
- Catch blade made of middle carbon steel with heat treatment HRC 50~52, black oxidized

* Hard chrome plated finish available







PREMIUM BYPASS PRUNER

FOR SHEARING

Flower, Herbs, Small twigs, Hoses, Cardstock cardboard. Plastic sheet and rail, Vegetables, House plants

SPECIFICATIONS

- Bolt made of SUS 302 stainless steel cold forged
- Lock nut made of SUS 302 stainless steel
- Washer made of SUS 420J2 stainless steel with heat treatment
- Rope made of Polymer
- Handles made of PP

035









FLORAL SHEARS

Full length: 190mm (7 1/2") Cutting length: 50mm (2")

- Cutting blade made of high carbon alloy steel with heat treatment HRC 55~57, TPFE coating
- Rounded tip for harvesting grapes and fruits without stabbing.







THINNING SHEARS

Full length: 188mm (7 1/2") Cutting length: 42mm (1 5/8")

- Blades made of high carbon alloy steel with double heat treatment, HRC 48~50, cutting edge HRC 59~63, black oxidized
- * Hard chrome plated finish available
- * Item number #919, MOQ: 3,000pcs

039





PREMIUM THINNING SHEARS

Full length: 188mm (7 1/2")

• Blades made of SUS 420J2 stainless steel with



We build and sell trust!

NUSHARP inc.

TAIWAN Factory & Head Office

No. 3, Jingke 5th Rd., Taichung Precision

Machinery Park, Taichung 40852, Taiwan

E-mail: service@nusharp.com.tw

Tel: +886-4-2355-1133
Fax: +886-4-2355-3311
www.nusharp.com.tw

JAPAN Office 〒534-0001 6-3 Kematyo, 1 Chome, Miyakojima-Ku, Osaka, Japan E-mail:chin_seppo@nusharp.com.tw

Tel: +81-6-6921-0888 Fax: +81-6-7492-7730 www.nikinchen.com