









PLIER HEAD

Two options of plier head to choose from to fit different usag situation.

NEEDLE NOSE PLIERS

- Anti-Slip serrated teeth for gripping material without slippage
- Serrated nose for easy bending, shaping and pulling of wire
- Curved jaw vise for a secure grip







DIAGONAL PLIERS

- The tip cutter cuts off zip tie up to 4.8mm wide
- Fasten the zip tie and get tighter tension
- Anti-Slip serrated teeth to grip zip tie when pulling to get tighter tension
- Curved jaw vise for a sercure grip









STRIPPING HOLES

Precise stripping of solid wire, stranded wire and other nonmetallic sheathed cable

* Size of stripping holes can be customized.





TERMINAL CRIMPER IN HANDLE

Equipped with an intergrated terminal crimper for added convenience
Crimping terminal 5.5mm





SPECIFICATIONS

- Full length: 197mm (8")
- Ergonomic handles to fit any hand comfortably
- Handles made of PP and TPR overmolded
- Blades made of 4mm High Carbon Alloy Steel with induction hardened on cutting edge, HRC 60-62
- Plier head made of MIM
- Bolt made of JIS SCM 435 alloy steel security bolt (class 10.9)
- Lock nut made of SUS 302 stainless steel
- Weight : 180g



CABLE JACKET Ø1.6mm x 3C

CUTTING CAPACITIES

Max. 2.6mm X 3C VVF cable

STRIPPING HOLES

Inner jacket Ø1.6mm x 1C Outer jacket Ø1.6mm x 3C 863 DIAGONAL PLIERS

861

NEEDLE

NOSE PLIERS



0.0

CABLE JACKET Ø2.0mm x 3C

CUTTING CAPACITIES

Max. 2.6mm X 3C VVF cable

STRIPPING HOLES

Inner jacket Ø2.0mm x 1C Outer jacket Ø2.0mm x 3C

871

NEEDLE NOSE PLIERS



873

DIAGONAL PLIERS



We build and sell trust!

NUSHARP inc.

TAIWAN Factory & Head Office

No. 3, Jingke 5th Rd., Taichung Precision

Machinery Park, Taichung 40852, Taiwan

E-mail: service@nusharp.com.tw

Tel: +886-4-2355-1133 Fax: +886-4-2355-3311 www.nusharp.com.tw 〒534-0001 6-3 Kematyo, 1 Chome, Miyakojima-Ku, Osaka, Japan E-mail:chin_seppo@nusharp.com.tw

JAPAN Office

Tel: +81-6-6921-0888 Fax: +81-6-7492-7730 www.nikinchen.com