



NUSHARP™
A cutting edge supplier

WIRE ROPE CUTTER

series

QUICK BITE

CUTTING CAPACITY

10 WIRE ROPE
mm MAX

839 RATCHET WIRE ROPE CUTTER

SPECIFICATIONS

- FULL LENGTH : 284mm (11 1/4")
- BLADES: HIGH-SPEED STEEL (HSS 55, HM35) HRC 65~67
- WEIGHT: 1300g (2.87lbs)

APPLICATIONS


CRANES AND LIFTING
CONSTRUCTION / MINING
MANUFACTURING / AEROSPACE
AUTOMOTIVE REPAIR AND MAINTENANCE
MARINE / OIL AND GAS



RATCHET DRIVE

RATCHETING DRIVE TECHNOLOGY
TO GREATLY SAVE YOUR STRENGTH.

BLADES ARE MADE OF HIGH-SPEED
STEEL OFFERING HIGH DURABILITY
AND SERVING MORE THAN 200 CUTS
WITHOUT FANNING.




Cooperated with unique
engineered blades for
better work efficiency



Allows rapid,
straight cuts with
minimum effort

RATCHET
ADVANCEMENT



QUICK BITE

PATENTED QUICK BITE
MECHANISM DESIGN
PROVIDES FASTER
POSITIONING TO MOVE
THE BLADES FORWARD TO
START CUTTING FROM
10MM WITH ONE GRIPPING.

THIS ADVANCED FUNCTION
INCREASES WORK EFFICIENCY,
PERFORMANCE AND QUALITY
WITH MINIMAL EFFORT.

A QUICK RELEASE LEVER IS
EQUIPPED TO RELEASE THE
BLADES AT ANY POINT
DURING CUTTING.


COMPACT DESIGN IS IDEAL
FOR WORKING IN TIGHT
AREAS AROUND THE JOBSITE
AND FITS EASILY IN A
TOOLBOX, BAG OR HOLSTER.

QUICK BITE STARTS THE
CUTTING FROM 10MM

NUSHARP™
A cutting edge supplier



QUICK RELEASE LEVER



EASY-REPLACE BLADES

REPLACEMENT BLADES CRAFTED
FROM HIGH-SPEED STEEL
ENABLE USERS TO CONTINUE
THEIR JOB WITHOUT DOWNTIME.
BLADES CAN BE QUICK CHANGED
WITH A 2MM HEX KEY.




839-B
REPLACEMENT
BLADES


NUSHARP™
A cutting edge supplier

ERGONOMIC DESIGN

OFFSET DESIGN ALLOWS
USERS TO ADJUST THEIR
WRIST ANGLE FOR GREATER
COMFORT IN USE.



Hang hole for tethering





835 WIRE ROPE CUTTER

SPECIFICATIONS

- FULL LENGTH : 180mm (7")
- BLADES : HIGH CARBON STEEL WITH INDUCTION HARDENED, CUTTING EDGE HRC 60~62
- WEIGHT : 233g

CAPACITY

- Ø5mm WIRE ROPE
- Ø4mm STEEL WIRE ROPE






NUSHARP™
A cutting edge supplier

PRECISE CUTTING

INDUCTION HARDENED BLADES
PROVIDE A CLEAN CUT OF WIRE
ROPE WITHOUT FLATTENING,
FANNING AND SPLAYING



ERGONOMIC DESIGN MAKES LOW HAND FORCE AND PROVIDES A
MECHANICAL ADVANTAGE TO ACHIEVE AN EASIER CUT



160 mm
(Other Brand > 180mm)

ERGONOMIC DESIGN

SMALLER OPEN WIDTH OF HANDLES
MAKES IT EASY TO CLOSE BACK AND
FITS ANY HAND COMFORTABLY

LIGHT WEIGHT AND SPRING LOADED TO
HELP REDUCE HAND FATIGUE

We build and sell trust!

NUSHARP inc.

TAIWAN Factory & Head Office

No. 3, Jingke 5th Rd., Taichung Precision
Machinery Park, Taichung 40852, Taiwan
E-mail : service@nusharp.com.tw

Tel: +886-4-2355-1133
Fax: +886-4-2355-3311
www.nusharp.com.tw

JAPAN Office

〒534-0001 6-3 Kematyo, 1 Chome,
Miyakojima-Ku, Osaka, Japan
E-mail: chin_seppo@nusharp.com.tw

Tel: +81-6-6921-0888
Fax: +81-6-7492-7730
www.nikinchen.com

